

**HÖRMANN**







The frame and shutter are supplied in primer finish only.  
The colors shown in the catalog are indicative.


\*For top coat application, please follow the directions  
given in the Instruction Manual.





# EASE. EXCELLENCE. EFFICIENCY.

Hörmann EZDOOR Residential Series is a first-of-its-kind product. These steel doors are easy to install as the name suggests, thereby resulting in huge savings in time, cost, and energy. With on time delivery assured, it is the preferred choice of many happy buyers.



EZ Classic Doors

**Applications:** Main Entrance Door  
Bedroom Door

**Material:** GRAINTEK® Steel  
**Frame/Shutter:** 1.2 / 0.8 mm  
**Grooved Frame Profile:** 125 x 55 mm with seal  
**Shutter Thickness:** 46 mm

**Locking:** Mortise sash lock with cylinder and lever handle

**Size:** 750 x 2100 mm\*  
900 x 2100 mm  
1000 x 2100 mm  
1200 x 2100 mm

**Finishes:** GRAINTEK® with primer

\*Comes with a Splash Guard





EZ Select Doors

**Applications:** Main Entrance Door  
Bedroom Door  
Bathroom Door

**Material:** GRAINTEK® Steel  
**Frame/Shutter:** 1.2 / 0.6 mm  
**Frame Profile:** 125 x 55 mm  
**Shutter Thickness:** 46 mm

**Locking:** Tower Bolt, Pull Handle,  
Aldrop

**Size:** 750 x 2100 mm\*  
900 x 2100 mm  
1000 x 2100 mm  
1200 x 2100 mm

**Finishes:** GRAINTEK® with primer

\*Comes with a Splash Guard

**EZDOOR** FRAMES



45° Miter joint



Provision for groove seal



Hinge preparation



Strike plate preparation for locks



Anchoring




Splash Guard

\*Standard splash guard for all Classic and Select frames of size 750x2100 mm

Illustrated frame is Classic Frame Package

# A TO Z BENEFITS



Durable and long lasting



Standard sizes for various applications



Door and hardware as a complete package




Quick Delivery



Ready to install



Can be finished with your choice of Colors



## SELECT FRAME PACKAGE

(Suitable for 32/35 mm thick shutter)

- Frame profile: 125 x 55 mm
- Material: GRAINTEK® frame 1.2 mm
- Hinges: SSB BB 100 x 75 x 3 mm
- Lock Package: SS Aldrop 300 mm, Tower bolt 300 mm and pull handle 150 mm
- Finish: GRAINTEK® with primer
- Size: 750 x 2100 mm  
900 x 2100 mm  
1000 x 2100 mm  
1200 x 2100 mm




## CLASSIC FRAME PACKAGE

(Suitable for 32/35 mm thick shutter)

- Grooved frame profile with PVC seal: 125 x 55 mm
- Material: GRAINTEK® frame 1.2 mm
- Hinges: SSB BB 100 x 75 x 3 mm
- Lock Package: Cylindrical Knob Lock Grade 3
- Finish: GRAINTEK® with Primer
- Size: 750 x 2100 mm  
900 x 2100 mm  
1000 x 2100 mm  
1200 x 2100 mm

# HARDWARE



Hinges



Mortise Sash Lock



Cylindrical Knob Lock




Aldrop



Lever Handle



Cylindrical Lock



Tower Bolt



Pull Handle





Available in all retail outlets across India

**Shakti Hörmann Pvt. Ltd.**

H.No.2-67/1, Gagillapur, Dundigal Municipality,  
Medchal (Malkajgiri) District – 500 043, Telangana, India  
[www.shaktihormann.com](http://www.shaktihormann.com) | TOLL FREE: 1800 313 6619

**HÖRMANN**

[ez@shaktihormann.com](mailto:ez@shaktihormann.com)