




Shakti Hormann
Doors for Home and Industry

NEW



ED **EZDOOR**
CONTRACT SERIES

HÖRMANN



Austria
Belarus
Belgium
Brazil
Bulgaria
China
Croatia
Czech Republic
Denmark
Estonia
France
Germany
Great Britain
Greece

Hong Kong
Hungary
India
Italy
Japan
Kazakhstan
Korea
Lithuania
Malaysia
Mexico
Middle East
Morocco
Netherlands

Norway
Poland
Portugal
Romania
Russia
Serbia
Slovakia
Spain
Sweden
Switzerland
Turkey
Ukraine
USA
Vietnam



Ez - Contract series



*
Against Manufacturing Defects on Door

ED EZDOOR

CONTRACT SERIES

Choose from a pre-selected range of standard doors and receive your high performance Hormann doors faster than ever before.

BENEFITS TO THE BUYER

- 100% tested and compliant fire door as per NBC 2016
- Labeled doors tested and certified by CBRI Roorkee.
- Standard sizes for ease of selection.
- Standard hardware options covering common applications.
- Five years warranty against manufacturing defects.
- Complete package of door and hardware in one box
- Easy to handle, store and install
- Choice of RAL colors

PLACE YOUR ORDER IN 3 EASY STEPS

- 
1 Select your door and hardware configuration
- 
2 Book your order through our partner
- 
3 Make your payment

All warranties are subject to manufacturer's terms and conditions of supply and installation.

Please refer the terms of supply and installation for further details.


* 5 Years on Door & 1 Year only on Hardware







Handing

Application



- Exit staircase
- Utility doors
- Corridors
- Shafts
- Others

Joinery Details



Fire Doors


FD120

Material	Galvanised steel
Shutter	46mm
Profile	100 x 57mm
Rebate stop	19mm
Profile type	Non-grooved
Assembly	Mitered
Infil	Honeycomb
Undercut	9mm

Wall Opening Sizes (WOW X WOH)

- 1000 x 2100
- 1200 x 2100
- 1000 x 2400
- 1200 x 2400

Glass Dimensions



Vision panel 200 X 300


Wall Opening Sizes (WOW X WOH)

- 1000 x 2100
- 1200 x 2100
- 1000 x 2400
- 1200 x 2400



Note:- *All Dimensions are in mm

Mortise Sash Lock




Hardware Set - A1 (2100)

Material Description	Finish
Ball bearing butt hinge, 4330, SS304 Size 100 x 75 x 3mm with screws in SSS – Hormann	SSS
Mortise sash lock, H9-GU-BKS, 65 BS/72/9mm, Rd.forend 24mm strike, CE, Silver finish - Hormann	Silver
Euro profile 5 pin cylinder 5702, 70mm Key x Key, NP finish. - Hormann	NP
Lever handle LT001, 19 Dia with roses & Escutcheon SS304, SSS finish - Hormann	SSS
Door closer HDC03 EN 3 with std arm Silver - Hormann	Silver
Clear fire rated glass for 120min	Na
Gasket, Fire rated 4mm Thick x 13mm, Black	Na

* Hardware Set - A2 for 2400 mm height

Mortise Dead Lock



Hardware Set - B1 (2100)

Material Description	Finish
Ball bearing butt hinge, 4330, SS304 Size 100 x 75 x 3mm with screws in SSS – Hormann	SSS
Mortise Dead lock, H4, 55 BS/8mm, SSS finish - Hormann	Silver
Euro profile 5 pin cylinder 5702 70mm Key x Key, NP finish. - Hormann	NP
Escutcheon ES001 SSS for euro profile cylinder Hormann	SSS
Pull handle D type, D-25, L-300,C-300, B/B, 304 SSS - Hormann	SSS
Door closer HDC03 EN 3with std arm Silver - Hormann	Silver
Clear fire rated glass for 120min	Na
Gasket, Fire rated 4mm Thick x 13mm, Black	Na

* Hardware Set - B2 for 2400 mm height

WOW = Wall Opening Width
WOH = Wall Opening Height

Fire Doors


FD120

Material	Galvanised steel
Shutter	46mm
Profile	100 x 57mm
Rebate stop	19mm
Profile type	Non-grooved
Assembly	Mitered
Infil	Honeycomb
Undercut	9mm

Wall Opening Sizes (WOW X WOH)

- 1000 x 2100
- 1200 x 2100
- 1000 x 2400
- 1200 x 2400

Glass Dimensions



Vision panel 200 X 300


Wall Opening Sizes (WOW X WOH)

- 750 x 1500
- 900 x 1500
- 750 x 1800
- 900 x 1800



Note:- *All Dimensions are in mm

Panic Device




Hardware Set - C1 (2100)

Material Description	Finish
Ball bearing butt hinge, 4330, SS304 Size 100 x 75 x 3mm with screws in SSS - Hormann	SSS
Single point surface panic latch XDB5760SV, L=1100mm, Silver finish - Hormann	Silver
External lever handle, 1185, with euro profile cylinder Silver Finish- Hormann	SSS
Door closer HDC03 EN 3 with std arm Silver - Hormann	Silver
Clear fire rated glass for 120min	Na
Gasket, Fire rated 4mm Thick x 13mm, Black	Na

* Hardware Set - C2 for 2400 mm height

Shaft lock



Hardware Set - D1 (1500)

Material Description	Finish
Ball bearing butt hinge, 4330, SS304 Size 100 x 75 x 3mm with screws in SSS - Hormann	SSS
Mortise shaft dead lock H7, 57mm with allen key SSS - Hormann	SSS
Flush handle CH 120S, 120mmx40mm, Rectangular, SSS - Guardian / Hormann	NP


* Hardware Set - D1 for 1800mm height

WOW = Wall Opening Width
WOH = Wall Opening Height



Multipurpose Doors

Mortise Sash Lock




Hardware Set - A3 (2100)

Material Description	Finish
Ball bearing butt hinge, 4330, SS304 Size 100 x 75 x 3mm with screws in SSS – Hormann	SSS
Mortise sash lock, H9-GU-BKS, 65 BS/72/9mm, Rd.forend 24mm strike, CE, Silver finish - Hormann	Silver
Euro profile 5 pin cylinder 5702, 70mm Key x Key, NP finish. - Hormann	NP
Lever handle LT001, 19 Dia with roses & Escutcheon SS304, SSS finish - Hormann	SSS
Clear float glass - 5mm	Na
Gasket, Foam tape single side adhesive 4mm thick x 12.5mm, black	Na

* Hardware Set - A4 for 2400 mm height

Mortise Dead Lock



Hardware Set - B3 (2100)

Material Description	Finish
Ball bearing butt hinge, 4330, SS304 Size 100 x 75 x 3mm with screws in SSS – Hormann	SSS
Mortise Dead lock, H4, 55 BS/8mm SSS finish - Hormann	Silver
Euro profile 5 pin cylinder 5702 70mm Key x Key, NP finish. - Hormann	NP
Escutcheon ES001 SSS for euro profile cylinder Hormann	SSS
Pull handle D type, D-25, L-300, C-300, B/B, 304 SSS - Hormann	SSS
Clear float glass - 5mm	Na
Gasket, Foam tape single side adhesive 4mm thick x 12.5mm, black	Na

* Hardware Set - B4 for 2400 mm height


WOW = Wall Opening Width
WOH = Wall Opening Height

Material	Galvanised steel
Shutter	46mm
Profile	100 x 57mm
Rebate stop	19mm
Profile type	Non-grooved
Assembly	Mitered
Infil	Honeycomb
Undercut	9mm

Wall Opening Sizes (WOW X WOH)

- 1000 x 2100
- 1200 x 2100
- 1000 x 2400
- 1200 x 2400

Glass Dimensions



Vision panel 200 X 300

Wall Opening Sizes (WOW X WOH)


- 1000 x 2100
- 1200 x 2100
- 1000 x 2400
- 1200 x 2400

Note:- *All Dimensions are in mm



Multipurpose Doors

Panic Device




Hardware Set - C3 (2100)

Material Description	Finish
Ball bearing butt hinge, 4330, SS304 Size 100 x 75 x 3mm with screws in SSS - Hormann	SSS
Single point surface panic latch XDB5760SV, L=1100mm, Silver finish - Hormann	Silver
External lever handle, 1185, with euro profile cylinder, Silver Finish- Hormann	SSS
Clear float glass - 5mm	Na
Gasket, Foam tape single side adhesive 4mm thick x 12.5mm, black	Na

* Hardware Set - C4 for 2400 mm height

Shaft lock



Hardware Set - D1 (1500)

Material Description	Finish
Ball bearing butt hinge, 4330, SS304 Size 100 x 75 x 3mm with screws in SSS - Hormann	SSS
Mortise shaft dead lock H7, 57mm with allen key SSS - Hormann	SSS
Flush handle CH 120S, 120mmx40mm, Rectangular, SSS - Guardian / Hormann	NP

* Hardware Set - D1 for 1800mm height


WOW = Wall Opening Width
WOH = Wall Opening Height

Material	Galvanised steel
Shutter	46mm
Profile	100 x 57mm
Rebate stop	19mm
Profile type	Non-grooved
Assembly	Mitered
Infil	Honeycomb
Undercut	9mm

Wall Opening Sizes (WOW X WOH)

- 1000 x 2100
- 1200 x 2100
- 1000 x 2400
- 1200 x 2400

Glass Dimensions



Vision panel 200 X 300

Wall Opening Sizes (WOW X WOH)

- 750 x 1500
- 900 x 1500
- 750 x 1800
- 900 x 1800

Note:- *All Dimensions are in mm



Stainless Steel Ball Bearing
Butt Hinge 4x3x3mm



Mortise Sashlock H9
BS 65 mm



Mortise Deadbolt H4
BS 55 mm



Mortise Shaft Lock H7
BS - 57 mm



Panic Device XDB 5760 SV
Single Point



Euro Profile Cylinder
with Both Side Key



Stainless Steel
Lever Handle Lt001



D Type Handle



Recessed Handle



Panic device External Trim



Door Closer HDC03
EN 3



Escutcheon ES 001



Order Format

Choose your requirement

1 Door type	2 WO size std door	3 WO size shaft door
FD - Fire door	1021 - 1000 x 2100	7515 - 750 x 1500
MPD - General door	1221 - 1200 x 2100	9015 - 900 x 1500
	1024 - 1000 x 2400	7518 - 750 x 1800
	1224 - 1200 x 2400	9018 - 900 x 1800

4 Hardware set	<u>FD</u>		<u>MPD</u>	
	2100	2400	2100	2400
Mortise sash lock	A1	A2	A3	A4
Mortise dead lock	B1	B2	B3	B4
Panic device	C1	C2	C3	C4
Shaft lock	D1	D1	D1	D1

5 Vision Panel	6 Handing	7 Colour
00 - Without vision panel	11 - Right Hand (RH)	Standard
01 - With vision panel	12 - Left Hand (LH)	01 - RAL 3020
	13 - Right hand reverse (RHR)	02 - RAL 9001
	14 - Left hand reverse (LHR)	Optional (on request)
		03 - RAL 5023
		04 - RAL 9010
		05 - RAL 7035
		06 - RAL 7040
		07 - RAL 9016
		08 - RAL 8017

Note: all panic device & shaft door
handing will be either LHR/RHR

Example: if you want a fire door of size 1200 x 2400mm, with panic device and vision panel handing left hand reverse in RAL 3020 you can order either by giving the product code or SAP reference

Product code shall be - FD-1224-C2-01-LHR-01 & the quantity

Order form

							(INR)
S.no	Product Code	Handing	Colour	SAP code	Qty	Unit Rate	Total
1	FD1224C201	14	01				

Total qty / Basic value _____

Packing _____

Transportation _____

GST @ 18% on basic value, packing & transportation
(or as applicable at the time of dispatch)

Grand total in INR _____

Ship to:

Bill to:

GSTN No:



Hörmann: Quality without compromise



Hörmann KG Amshausen, Germany



Hörmann KG Antriebstechnik, Germany



Hörmann KG Brandis, Germany



Hörmann KG Brockhagen, Germany



Hörmann KG Dissen, Germany



Hörmann KG Eckelhausen, Germany



Hörmann KG Freisen, Germany



Hörmann KG Ichtershausen, Germany



Hörmann KG Werne, Germany



Hörmann Alkmaar B.V., Netherlands



Hörmann Legnica Sp. z o.o., Poland



Hörmann Beijing, China



Hörmann Tianjin, China



Hörmann LLC, Montgomery IL, USA



Hörmann Flexon LLC, Burgettstown PA, USA



Shakti Hormann, India



- GARAGE DOORS
- OPERATORS
- INDUSTRIAL DOORS
- LOADING EQUIPMENT
- HINGED DOORS
- DOOR FRAMES



Shakti Hormann Pvt. Ltd.

H.No.267/1(Survey No.188,198) Gagillapur, Dundigal Municipality,
Dundigal Gandimaisamma Mandal, Medchal (Malkajgiri)
District – 500 043. TS. India

E: sales@shaktihormann.com
www.shaktihormann.com

TOLL FREE: 1800 313 6619



Platinum Rated Green Facility

