

Residential Series






Whether quality or innovation, safety or aesthetics, our steel doors meet the highest demands. We do not compromise. This is something our customers know. They trust us. And have done for decades. We are Hörmann.

BE SECURE: Doors that offer complete peace of mind, doors that provide state-of-the-art, smart security solutions.

BE FIRE SAFE: Doors that extinguish any thoughts of fire, doors that come with the highest fire ratings in the segment

BE SMART: Doors that cut down on your AC power bills, doors that come with an inbuilt sealing system that keeps the AC airflow intact in the room.

BE NOISE-FREE: Doors that shut the outside chaos, doors that are built to reduce the noise levels dramatically.



SECURE, STYLISH & SMART:

STEEL DOORS FOR YOUR HOMES, FROM HÖRMANN

Shakti Hörmann has become a leading player in the market for premium residential doors due to our unwavering focus on attention to detail. Our commitment to excellence has earned us a reputation for delivering exceptional quality products, combined with a high level of professionalism and revolutionary manufacturing processes that enable us to scale production while maintaining stringent quality standards. Architects, interior designers, and homeowners alike have come to rely on Hörmann for premium residential doors that meet their exacting standards.

HÖRMANN PREMIUM RESIDENTIAL DOORS

Our range of residential doors is designed to meet the needs of various applications, including Main Entrance Doors, Bedroom Doors, Bathroom Doors, and Balcony Doors. Whether you're looking for a grand entrance door that makes a statement, or a discreet bedroom door that offers privacy and peace, we have the perfect solution for you. Our bathroom doors are designed to withstand the rigors of a damp and humid environment, while our balcony doors are engineered to provide the right balance of security and outdoor access.



TERMITE




FIRE RESITANT



WEATHER PROOF



MAINTENANCE



Wood Grain









Dark Mahogany Moorish Teak

GW Series

Application : Entrance, Bedroom, Bathroom, Balcony GRAINTEK™ : Steel Door – Wood Stained

Natural Teak


Modern Walnut


Powder Coated Application : Entrance, Bedroom, Bathroom, Balcony GRAINTEK™ : Steel Door – Powder Coated

> RAL 9010 RAL 1013

RAL 7035

RAL 8017





PC Series

Application : Entrance, Bedroom, Balcony Plain : Steel Door – Powder coated

HARDWARE













LT 005



HINGE



MAGNETIC DOOR STOP



EYE VIEWER







| | Premium Residential Door Size wall opening Chart | | | | | |
|-------------------|--|-------------------------------|--|------------|-----------------------------|--|
| Model | S No | Shutter / Leaf Sizes in mm | Wall opening Sizes in mm | Size in CM | Size in Ft (Ft & Inches) | |
| Entrance Door | 1 | 904 x 2043 mm | 1000 x 2100 mm | 100 x 210 | 3' 3.4" x 6' 10.6" | |
| | 2 | 904 x 2143 mm | 1000 x 2200 mm | 100 x 220 | 3' 3.4" x 7' 2.6" | |
| | 3 | 904 x 2343 mm | 1000 x 2400 mm | 100 x 240 | 3′ 3.4″ x 7′ 10.5″ | |
| | 4 | 954 x 2043 mm | 1050 x 2100 mm | 105 x 210 | 3′ 5.3″ x 6′ 10.6″ | |
| | 5 | 954 x 2143 mm | 1050 x 2200 mm | 105 x 220 | 3' 5.3" x 7' 2.6" | |
| | 6 | 954 x 2343 mm | 1050 x 2400 mm | 105 x 240 | 3′ 5.3″ x 7′ 10.5″ | |
| | 7 | 1104 x 2043 mm | 1200 x 2100mm | 120 x 210 | 3' 11.3" x 6' 10.6" | |
| | 8 | 1104 x 2143 mm | 1200 x 2200mm | 120 x 220 | 3′ 11.3″ x 7′ 2.6″ | |
| | 9 | 1104 x 2343 mm | 1200 x 2400mm | 120 x 240 | 3' 11.3" x 7' 10.5" | |
| | | | | | | |
| | 1 | 904 x 2043 mm | 1000 x 2100 mm | 100 x 210 | 3′ 3.4″ x 6′ 10.6″ | |
| Bedroom Door | 2 | 904 x 2143 mm | 1000 x 2200 mm | 100 x 220 | 3' 3.4" x 7' 2.6" | |
| | 3 | 904 x 2343 mm | 1000 x 2400 mm | 100 x 240 | 3′ 3.4″ x 7′ 10.5″ | |
| | 4 | 804 x 2043 mm | 900 x 2100 mm | 90 x 210 | 2' 11.4" x 6' 10.6" | |
| | 5 | 804 x 2143 mm | 900 x 2200 mm | 90 x 220 | 2' 11.4" x 7' 2.6" | |
| | 6 | 804 x 2343 mm | 900 x 2400 mm | 90 x 240 | 2' 11.4" x 7' 10.5" | |
| | | | | | | |
| Toilet / Bathroom | 1 | 654 x 2043 mm | 750 x 2100 mm | 75 x 210 | 2' 5.5" x 6' 10.6" | |
| | 2 | 654 x 2143 mm | 750 x 2200 mm | 75 x 220 | 2′ 5.5″ x 7′ 2.6″ | |
| | 3 | 654 x 2343 mm | 750 x 2400 mm | 75 x 240 | 2′ 5.5″ x 7′ 10.5″ | |
| | | | | | | |
| Balcony | 1 | 804 x 2043 mm | 900 x 2100 mm | 90 x 210 | 2' 11.4" x 6' 10.6" | |
| | 2 | 804 x 2143 mm | 900 x 2200 mm | 90 x 220 | 2' 11.4" x 7' 2.6" | |
| | 3 | 804 x 2343 mm | 900 x 2400 mm | 90 x 240 | 2' 11.4" x 7' 10.5" | |
| | | | Note: Ex 3' 3.4" = 3 feet and 3.4 Inches | | | |

| Frame | |
|---------------------------------|-------------|
| Material | GI |
| Sheet thickness | 1.2 mm |
| Profile size without Architrave | 125 x 55 mm |
| Profile size with Architrave | 125 x 80 mm |
| Profile type | Grooved |
| Architrave (only on one side) | 0 |

| Door shutter | | | | |
|----------------------------------|-----------|--|--|--|
| Material Material | Gl | | | |
| | - | | | |
| Sheet thickness | 0.8 mm | | | |
| Door leaf thickness | 46 mm | | | |
| Infill | Honeycomb | | | |
| Standard fire rating (Max 60min) | • | | | |
| Insulation (Max 30min) | 0 | | | |
| Standard acoustic rating | 30dB | | | |


PROGUARD MAIN ENTRANCE DOOR

'MESHMERIZING' VIEW **MAXIMUM SECURITY**

PROGUARD Mesh Doors from Hörmann – India's leading manufacturers of Doors, improves ventilation and keeps out mosquitoes and pests. Offering a clear view while providing complete security, ProGuard is available in a combo set of Leaf. Frame, and Mesh.









THE DOOR WITH AN **ADDED ADVANTAGE**

PROGUARD serves a double purpose by keeping out mosquitoes and pests while acting as a security barrier. As the name suggests, it guards your home from intrusions and can withstand tremendous impacts and even attacks with knives and metal bars*.

1050 x 2100 mm 1100 x 2100 mm 1200 x 2100 mm 1050 x 2200 mm 1100 x 2200 mm 1200 x 2200 mm

AVAILABLE SIZES | SCREEN SYSTEM TESTING

- ✓ V Knife Shear Test Australian Standard AS 4501
- ✓ Dynamic Impact Test Australian Standard AS 5039/AS5041
- ✓ Salt Spray Test International Standard ASTM B 117
- ✓ Qualicoat Standards















PROGUARD - MAIN ENTRANCE DOOR

Application : Main Entrance Models : GW Series, GP Series, PC Series

Wood Grain



Natural Teak







Modern Walnut





Dark Mahogany Moorish Teak





THERMO 65

A HOME ENTRANCE THAT MAKES A STYLE STATEMENT

Thermo 65 comes in both modern and classic styles, with additional glazing that adds that touch of class. The interior and exterior surfaces have a matching appearance.



Style 830S

CH 703 Matt Deluxe Anthracite Metallic Stainless Steel Handle HB 38-2 Satinato Glazing



Decograin Walnut-Oak Decor Stainless Steel Handle HB 38-2 Side Elements with Satinato Glazing





Style 900D

Grey Aluminium RAL 9007 Stainless Steel Handle HB 38-2

Sand-Blasted Glazing with 4 Clear Stripes

Side Elements with Sand-Blasted Glazing with 4 Clear Stripes

THERMO 46

FRONT AND SIDE ENTRANCES THAT GIVE A CLASSY LOOK

Thermo 46 is the perfect choice for your home and comes with a residential internal door in a vestibule form. These doors have the same matching color on both sides, external and internal.



Style 700B

Matt Deluxe CH 703 Anthracite Metallic Stainless Steel Handle HB 38-2 (Black) Stainless Steel Glazing Frame (Black Edition) Jet Black RAL 9005 Sand-Blasted Glazing with 7 Clear Stripes



Golden Oak: Medium Brown, Golden Yellow Oak Decor with Embellishment View 400 Stainless Steel Look Stainless Steel Handle HB 14-2 Satinato Glazing






Style 900D

Anthracite Grey RAL 7016 Style 4001 Stainless Steel Handle HB 14-2 Cathedral Glass Glazing with 4 Clear Stripes

DOOR VERSIONS

THE RIGHT PROFILE FOR ANY REQUIREMENT



Thermo 46

Up to 32 dB

| Door Profile | Interior | Interior |
|-----------------------------|---|-------------------------------|
| Material | Compound Material | Compound Material |
| Door Leaf Thickness | 65 mm | 46 mm |
| Internal and External Sheet | Steel, with Thermal Break | Steel, with Thermal Break |
| Door Frame | Rounded Frame A3, 80 mm | Rounded Frame A1, 60 mm |
| Material | Aluminium, with Thermal Break | Aluminium, with Thermal Break |
| Sealing System | 3 x | 2 x |
| Threshold | Aluminium / Plastic (Standard, S11), Plastic (Optional, S12) | Aluminium / Plastic |
| Thermal Insulation | Up to 0.87 W/(m²•K) | Up to 1.1 W/(m²•K) |

AVAILABLE SIZES

Single door

1000 x 2100 mm 1000 x 2400 mm 1050 x 2100 mm

Acoustic Insulation

1200 x 2100 mm 1050 x 2400 mm

1200 x 2400 mm

Double door

Up to 42 dB

Thermo 65


1800 x 2100 mm 1800 x 2400 mm



PC 2 security
Optional

FOR INCREASED SECURITY. With the optional RC 2 security features, our entrance doors make it especially difficult for burglars to break into your home. This protects your home from break-in attempts.





THERMO - PREMIUM ENTRANCE DOOR

Application : Main Entrance



WOOD DÉCOR PREMIUM DOOR

Explore a new world of doors for your home. Made from high quality PVC laminated steel with elegant wood finish patterns on the surface.


Frame profile (With provision for seal):

Standard: 125x60 mm

With Architrave: 125x60x75 mm

Max Size - 1200x2400 mm

*Frames available only in RAL colors



WOOD DÉCOR

Application : Entrance, Bedroom, Utility, Bathroom

Finishes





Golden Oak

Dark Oak



THE LONG-LASTING FRAME

STEEL FRAMES FOR WOODEN DOORS

Our high-quality steel frames give your home twice the pep: the elegant, stylish appearance creates a pleasing ambience, and the frames are also extremely durable. Their high-quality, robust design makes them hard-wearing, and they are easy to clean and maintain over the long term.

PREMIUM QUALITY THAT YOU CAN FEEL IN FORM AND DESIGN

Your interior style sets the tone! Are you looking for residential internal doors that harmonise with your home? Get ready to be impressed by the high-quality Duradecor surface finish with vibrant colours, perfectly reproduced timber decors and expressive textures. You can also choose from numerous real lacquer surface finishes.










4Protect edge guard








Application : Main Entrance, Bedroom, Bathroom, Balcony



White lacquer RAL 9016 French Beech

COLOURS AND DECOR





DESIGNLINE - TEXTURE

Application : Main Entrance, Bedroom, Bathroom, Balcony

COLOURS AND DECOR
















Brushed White Brushed Larch, Light Brushed Larch, Dark

North Oak

Natural Oak





DESIGNLINE - ULTRA MATT

Application : Main Entrance, Bedroom, Bathroom, Balcony

DESIGNLINE - SLATE

Application : Main Entrance, Bedroom, Bathroom, Balcony

COLOURS AND DECOR



White Anthracite Grey

COLOURS AND DECOR








Taupe

Anthracite





Application : Main Entrance, Bedroom, Bathroom, Balcony

COLOURS AND DECOR



White



Taupe









DESIGNLINE - STRIPE

Application : Main Entrance, Bedroom, Bathroom, Balcony



Dusty Grey RAL 7037



DISPLAY CENTRES IN ALL MAJOR CITIES

H.No.2-67/1, Gagillapur, Dundigal Municipality, Medchal (Malkajgiri) District – 500 043. Telangana, India www.shaktihormann.com | **TOLL FREE: 1800 313 6619**



